

update

10/759,242

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	hardwired adj configuration adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:57
L2	0	hard-wired adj configuration adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:58
L3	77	hard-wired adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:58
L4	8	hard-wired adj programming	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:58
L5	85	3 or 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 14:59
L6	44504	(select\$2 or multiplex\$2) adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:00
L7	19903	(pass adj transistor) or (transmission adj gate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:01
L8	62639	6 or 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:01
L9	1768	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:02
L10	1	5 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:04

10/759,242

EAST Search History

L11	111	9 and (configuration adj bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:05
L12	99327	(("326") or ("365")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 15:05
L13	83	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 15:05

10/759,242

Interference **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	0	((configurable near elements) and (configurable near control near circuits)).clm.	US-PGPUB	OR	ON	2006/05/17 15:34
L15	2	((configurable near elements) and (configuration near bit)).clm.	US-PGPUB	OR	ON	2006/05/17 15:36
L16	1	((configurable near elements) and (configuration near memory near cells)).clm.	US-PGPUB	OR	ON	2006/05/17 15:36
L17	0	(hardwired near configuration near bit).clm.	US-PGPUB	OR	ON	2006/05/17 15:37
L18	0	(hard-wired near configuration near bit).clm.	US-PGPUB	OR	ON	2006/05/17 15:37